

PRESSURE MEASUREMENT BENCH F110



Year 1
study

Features

- ONE bench apparatus, FIVE pressure methods
- Allows Investigation of Different Methods of Pressure Measurement.
- Introduces Students to Pressure Calibration Methods.
- Allows Investigation Above And Below Atmospheric Pressure.
- Optional Deadweight Tester with Optional Digital Readout.

Description

The Hilton F110 Pressure Measurement Bench allows students to investigate measurement of one of the fundamental parameters that will be present in almost every branch of engineering and physics.

A bench top, panel mounted U tube and inclined tube manometer together with a positive pressure Bourdon

tube pressure gauge and compound (positive and negative) pressure gauge. A means of creating measureable pressures is also provided.

The manometers allow investigation of the use of U and inclined tubes for pressure measurement and demonstrate the use of fluids of different density. All of the manometers and the panel mounted pressure gauges may be interconnected and linked to the common pressure source supplied.

The action of the supplied pressure source may be reversed to generate pressures below atmospheric pressure. This allows the concept of “gauge” and absolute pressure to be investigated.

Related laws

- Aeronautical Engineering
- Chemical Engineering

- Mechanical Engineering
- Plant and Process Engineering
- Refrigeration
- Air Conditioning
- Physics

Learning capabilities

- Investigation of Manometer Pressure Measurement Methods.
- Investigation of Pressures Above and Below Atmospheric Pressure.
- U Tube Manometer and Pressures Above and Below Atmospheric Pressure.
- Inclined Tube Manometer and Pressures Above and Below Atmospheric Pressure.
- Investigation of Manometer Fluid Density Effect.

Technical Specification

- Compound Bourdon Tube: -50 to +50 mBar
- Bourdon Tube: 0 to +60 mBar
- Linear manometer scale: 1mm resolution

Recommended Ancillaries

- F110A – Deadweight Tester
- F110B - Pressure Transducer & Digital Display

What's in the Box?

- 1 x F110
- 1 x Syringe
- 1 x Bottle Dye
- 4m PVC hose
- Instruction manual
- Packing List
- Test Sheet

Weights & Dimensions

- Unit: 750(L) x 300(W) x 650(H)mm
- Net Weight: 30 Kg

Essential Services

- Sturdy Bench top

Operational Conditions

- Storage temperature: -10°C to +70°C
- Operating temperature range: +10°C to +50°C
- Operating relative humidity range: 0 to 95%, noncondensing

Ordering information

To order this product, please call PA Hilton quoting the following code:

F110

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.

Copyright © 2018 P.A. Hilton Limited. All rights reserved. This technical leaflet, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of P. A. Hilton Limited. Hi-Tech Education is a registered trade mark of P. A. Hilton Limited.

COUNTRY OF ORIGIN - UK WARRANTY PERIOD - 5 YEARS