




HST8 OPTIONAL PITCHED PORTAL SPECIMENS

HST8B



Year 3
study

Features

- Set of 10 Pitched Portals

Description

Set of Pitched Portals for use with HST8

Related Laws/Applications

- Collapse Mechanism.
- Bending Moment Diagram (BMD).
- Degree of Redundancy.
- Plastic Hinges.

Learning capabilities

- Verifies that hinges occur at positions of greatest bending moment
- Studies the change in the collapse mechanism as the ratio of horizontal to vertical load is varied
- Determines the increase in collapse load as the degree of redundancy increases

Technical Specification

- Black mild steel portal
- 13 x 3mm section
- 300mm span
- 263mm high
- 30° pitch

Essential Ancillaries

- HST8

Recommended Ancillaries

- HST8A

What's in the Box?

- 10 x Pitched Portals

You might also like

- HST8A

Weights & Dimensions

- Weight: 2.5 kg
- Length: 300mm
- Width: 12mm
- Height: 250mm

Essential Services

- HST8

Operational Conditions

- Storage temperature: -10°C to +70°C
- Operating temperature range: +10°C to +50°C
- Operating relative humidity range: 0 to 95%, non condensing

Ordering information

To order this product, please call PA Hilton quoting the following code:
HST8B

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.

Copyright © 2018 P.A. Hilton Limited. All rights reserved. This technical leaflet, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of P. A. Hilton Limited. Hi-Tech Education is a registered trade mark of P. A. Hilton Limited.

COUNTRY OF ORIGIN - UK WARRANTY PERIOD - 5 YEARS